

certificate
no. **BAU 15059**
dated 2015-06-22

Translation In any case, the German original shall prevail.

EuroTest Certificate

Name and address of the holder of the certificate: (customer) SBH Tiefbautechnik GmbH
Ferdinand-Porsche-Str. 8
52525 Heinsberg

Product designation: **Strut made of steel**

Type: Lightweightstrut A-F

Testing based on: DIN 4124:2012
DIN EN 13331:2002

Test report: DEKRA Nr. 2107 NN40 from 2009-09-30

Further details: Permissible Strut length: 0,53 - 3,08 m;
Permissible compressive force: 69 - 160 kN
Permissible tensile force: 67 kN
Additional certificate to number:10305-E.

Intended Purpose

The permissible earth pressure loading is to be taken from the manufacturer's manual as a function of the system dimensions.

The manufacturer is also Certificate holder

The type tested complies with the test basis specified above.

The holder of the certificate is entitled to affix the ET-mark shown overleaf to the products complying with the type tested.

The present certificate including the right to affix the ET-mark is valid until: **2020-06-05**

Further provisions concerning the validity, the extension of the validity and other conditions are laid down in the Rules of Procedure for Testing and Certification.



Dipl.-Ing. (FH) Franz Welsch
Deputy Head of Certification Body

