

Certificate

no. **BAU 19036**

dated **2019-02-21**



DGUV Test

Prüf- und Zertifizierungsstelle
Fachbereich Bauwesen

Translation In any case, the German original shall prevail.

EuroTest Certificate

Name and address of the holder of the certificate (customer):	SBH Tiefbau-technik GmbH Ferdinand-Porsche-Str. 8 52526 Heinsberg GERMANY
Product designation:	Margin-supported trench shoring system, made of steel
Type:	Transformation profile for shoring panels of the 600er series
Testing based on:	EN 13331-2:2002 EN 13331-1:2002 DIN 4124:2012
Test report:	20190176006
Further details:	Box height 3,71 m with strut clearance height 2,35 m Box height 3,92 m with strut clearance height 2,57 m Permissible bending moment beneath the piling: 210 kNm Permissible bending moment in the area of the piling: 210 kNm Consequence certificate to number: 14010-ET Intended Purpose The permissible earth pressure loading is to be taken from the manufacturer's manual as a function of the system dimensions. The manufacturer is also Certificate holder

The type tested complies with the test basis specified above.

The holder of the certificate is entitled to affix the ET-mark shown overleaf to the products complying with the type tested.

The present certificate including the right to affix the ET mark is valid until: **2024-02-20**

Further provisions concerning the validity, the extension of the validity and other conditions are laid down in the Rules of Procedure for Testing and Certification.

Udo Melch
Deputy Head of Certification Body

